



MAQUINAS INYECTORAS VERTICALES

SERIE V

Model 'V' – Fixed Bottom Platen



Clamping Force: 10 - 500 ton/Injection Capacity: 0.5 - 50 oz/

Main Features :

- Vertical clamping, vertical injection.
- Compact design requires less floor space. Makes the take-out process more easier.
- Suitable for multi-purpose injection molding. Excellent for insert molding.

Optional Feature: High-speed injection unit utilizing closed-loop system.



MULTIPLAS[®]
MORE CHOICES, BETTER SOLUTIONS

Model 'V-S' – Slide Table



Clamping Force: 10 - 500 ton/ Injection Capacity : 0.5 - 50 oz

Main Features :

- Vertical clamping, vertical injection.
- Compact design requires less floor space. Makes the take-out process more easier.
- Suitable for multi-purpose injection molding. Excellent for insert molding.

Optional Feature: High-speed injection unit utilizing closed-loop system.



Model 'V-SD' – Double Shuttle Table



Clamping Force: 10 - 500 ton/ Injection Capacity: 0.5 - 50 oz

Main Features :

- Vertical clamping, vertical injection.
- Compact design requires less floor space. Makes the take-out process more easier.
- Suitable for multi-purpose injection molding. Excellent for insert molding.

Optional Feature: High-speed injection unit utilizing closed-loop system.



Model 'V-R' – Rotary Table



Clamping Force: 10 - 500 ton/ Injection Capacity: 0.5 - 50 oz

Main Features:

- Vertical clamping, vertical injection.
- Compact design requires less floor space. Makes the take-out process more easier.
- Suitable for multi-purpose injection molding. Excellent for insert molding.

Optional Feature: High-speed injection unit utilizing closed-loop system.